Website address: www.niscair.res.in; http://nopr.niscair.res.in

Indian Journal of Chemistry

Sect. B: Organic Chemistry including Medicinal Chemistry

Impact Factor: 0.592 (JCR 2020)

VOL. 60B

156 145 156

01 56

NUMBER 6

JUNE 2021

CONTENTS

Papers

Rational design and expeditious synthesis of aromatic cyanodienone derivatives assisted by cyanide-halide exchange

Fatemeh Zeraatpisheh*, Fatemeh Abadast & Maryam Shahmorad

Department of of Chemistry, Behbahan Khatam Alanbia University Technology, Behbahan, Iran

849 Ammonium chloride catalyzed Knoevenagel condensation in PEG-400 as ecofriendly solvent

Knoevenagel condensation of aldehyde with active methylene compounds has been achieved by using ammonium chloride catalyst in polyethylene glycol-400 as a green reaction solvent at room temperature. Reaction of various aryl/hetroaryl aldehyde with active methylene gives good to excellent yields with high stereoselectivity.

80-95%yield

E= CO₂Et, CN, CONHCH₂Ph,COOH

Smita R Waghmare

Center for Advanced Studies, Department of Chemistry, Savitribai Phule Pune University, Pune 411 007, India

856 Analogues designing for dephosphorylation of acetylcholinesterase enzyme

Nidhi Darmwal, B K Singh*, Bhanwar S Choudhary, Brajesh Sankar & Nithya Shanti

Department of Pharmaceutical Sciences, Kumaun University, Bhimtal, Nainital 263 139, India

An effective total synthesis of four angiotensinconverting enzymes containing silanediols

Hoan Quoc Duong* & Scott McNSieburth

Department of Organic Chemistry, Faculty of Chemistry, Hanoi National University of Education, Hanoi, 136 Xuanthuy Street, Caugiay, Hanoi 10000, Vietnam

874 Synthesis of new 2,2-dimethyl-2*H*-chromen derivatives as potential anticancer agents

Meghna Patel*, M N Noolvi & Zinal Patel

Department of Pharmaceutical Sciences, Saurashtra University, Rajkot 360 005, India

881 Ice-templated fabrication of porous imidazole based polymers for CO₂ adsorption

P M Nandanwar & R M Jugade*

Department of Chemistry, RTM NagpurUniversity, Nagpur 440 033, India

Synthesis, characterization, cytotoxicity evaluation and physicochemical properties of some novel N^4 -substituted aminobenzenesulfonamides

Mustafa Durgun, Gulay Zengin*, Huseyin Zengin, Ismail Koyuncu, Seda Turkoglu, Hasan Sonmez & Ali Kuru

Department of Chemistry, Faculty of Arts and Sciences, Harran University, Sanliurfa, 63290, Turkey

901 Design, synthesis and antibacterial activity of 9aryl-6-(2-naphthyl) [1,2,4]triazolo[4,3a][1,8]naphthyridines A concise and highly efficient procedure has been described for the synthesis of 9-aryl-6-(2-naphthyl)[1,2,4]-triazolo[4,3-a][1,8]naphthyridines **8** by the oxidation of the corresponding aryl aldehyde1-[3-(2-naphthyl) [1,8]naphthyridin-2-yl]hydrazones **7** using silica gel supported ferric chloride (SiO₂-FeCl₃) in solvent-free conditions under microwave irradiation. The desired products are obtained in very good yields and in a state of high purity. The structure of compounds **3-8** have been confirmed by their spectroscopic (IR, ¹H NMR and MS) and analytical data. The compounds **8a-j** have been screened for their antibacterial activity.

h: 3-NO2 C6H4

i: 4NO2C6H4

i: 3,4-(CH₃O)₂C₆H₃

Pradeep Kumar Challa, Jagadeesh Kumar Ega* & Kavitha Siddoju

Department of Chemistry, Chaitanya Deemed to be University, Warangal Urban 506 001, India

4-CH3CC6H4

2-C1 C₆H₄

4-C1 C6H4

Authors for correspondence are indicated by (*)